----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

| | 999 Populat | | | (Cancer incidence is | | LOCAL PUBLIC H Activities Reported | | Per 10,000 | | |
|--|--------------|-----------------------|-------------|----------------------------------|------------------------|--|-------------|---------------|--|--|
| 1 | nt Female | CION ESC | | (Cancel incluence is | 5 IOI 1990) | Activities Reported | ишшет | 10,000 | | |
| | | | | Primary Site | Number | Public Health Nursing | | ľ | | |
| Populat | ion per squ | uare mile | 33 | | | Total clients | | . (| | |
| Rank | in state | | 44 | Breast | 31 | Total visits | 2,019 | 693 | | |
| | ighest popu | | | Cervical | 6 | Visits: Reason for | | į | | |
| 72=1 | owest popul | lation dens | sity.) | Colorectal | 40 | | | . | | |
| | | | | Trachea, Bronchus, Lur | ng 22 | Infant/child hlth | | . | | |
| Age | Female | Male | Total | Prostate | 39 | Infectious & parasitic | | . | | |
| 0-14 | 2,760 | 2,870 | 5,630 | Other sites | 73 | Circulatory | • | | | |
| 15-19 | 1,100 | 1,240 | 2,340 | Total | 211 | Prenatal | • | . | | |
| 20-24 | 860 | 920 | 1,790 | | | Postpartum | | . | | |
| 25-29 | 750 | 830 | 1,580 | LONG-TERM CA | ARE | | | | | |
| 30-34 | 840 | 840 | 1,690 | | | WIC Participants | 557 | 192 | | |
| 35-39 | 1,160 | 1,170 | 2,320 | Community Options and D | MA Waiver | | | | | |
| 40-44 | 1,170 | 1,210 | 2,380 | Programs | | Clinic Visits | 7,821 | | | |
| 45-54 | 1,830 | 1,840 | 3,670 | # Clients | | Immunization Blood pressure | 6,260 | ! | | |
| 55-64 | | 1,500 | 2,990 | COP 80 | \$236,130 | Blood pressure | 786 | 270 | | |
| 65-74 | 1,260 | 1,140 | 2,400 | MA Waivers * | | | | ļ | | |
| 75-84 | 940 | 690 | 1,630 | CIP1A 8 | \$289,124 | Environmental Contacts | | | | |
| 85+ | 450 | 180 | 640 | CIP1B 69 | \$1,541,104 | Env hazards | 228 | - 1 | | |
| Total | 14,590 | 14,440 | 29,030 | CIP1B 69 CIP2 34 COP-W 107 | \$195,673 \$296,936 | Public health nuisance | 50 | 17 | | |
| Age | Female | Male | Total | CSLA . Brain Inj 3 | \$0 | | | ĺ | | |
| 0-17 | 3,390 | 3,610 | 7,000 | Brain Inj 3 | \$89,621 | | | | | |
| 18-44 | 5,250 | 5,470 | 10,730 | Total COP/Wvrs 225 | \$2,648,588 | | | | | |
| 45-64 | 3,320 | 3,340 | 6,660 | | | | | | | |
| 65+ | 2,650 | 2,010 | 4,670 | \$50,463 of the above | | | | J | | |
| Total | 14,590 | 14,440 | 29,030 | were paid as local ma | | Community sessions | | . | | |
| | | | , | using COP funds. Th | | Community attendance | 382 | 131 | | |
| | estimates | | | not included in above | COP costs. | School sessions | | : | | |
| included in the 1997 profiles. Poverty statistics will be updated | | | | <u>.</u> | | School attendance | 2,396 | 822 | | |
| | | | ıpdated | * Waiver costs reported | | | | Į | | |
| after the 2000 Census.) | | | | include federal fund: | ing. | Staffing - FTEs | ^ | 2 1 | | |
| | | | | | | Total staff | | 3.1 | | |
| | EMPL(| | | | | Administrators | 1 | ٠.٥ | | |
| | wage for jo | | | Home Health Agencies | • | Public health nurses | 6 | 1 | | |
| | loyment Com | | | Patients | • | Public Health aldes | • | . | | |
| | erage wage | | | Patients per 10,000 po | p | Environmental specialist | | • | | |
| OI | work, not | prace or r | estaence. | Nursing Homes | 3 | l | | | | |
| Inhom En | rce Estimat | +oa 3mm | 1 7110720 | Licensed beds | 349 | TOCAT DIDITO TERT | דרואוום טיו | NC | | |
| Cittilia | n labor for | rce Ailliua | 14 202 | Occupancy rate | 89.4% | LOCAL PUBLIC HEALTH FUNDING (funding data not available) | | | | |
| Number employed 12 620 | | Residents on 12/21/00 | 300 | (runding data not a | avartabl | <i>□ </i> | | | | |
| Civilian labor force 14,292 Number employed 13,639 Number unemployed 653 Unemployment rate 4.6% | | | ±3,039 | Residents aged 65 or o | older | | | | | |
| IInam | r micuipioye | eta | 053 4 69 | ner 1 000 nonulation | n 62 | | | | | |
| 1 0116111 | Proluciic to | | T.U% | per 1,000 popuration | . 04 | | | | | |

----- NATAI,TTY ------TOTAL LIVE BIRTHS 342 Birth Order Births Percent Marital Status First 133 39 of Mother Births Percent 259 Crude Live Birth Rate 11.8 109 3.2 Married 76 Second Third 67 20 Not married
Fourth or higher 33 10 Unknown
Unknown 0 0 83 24 0 0 General Fertility Rate 58.2 Third congenital anomalies 5 . % Education First Prenatal
Visit Births Percent Births Percent of Mother
 Vaginal after
 1st trimester
 294
 86

 previous cesarean
 7
 2
 2nd trimester
 41
 12

 Forceps
 0
 0
 3rd trimester
 5
 1

 Other vaginal
 245
 72
 No visits
 0
 0

 Primary cesarean
 57
 17
 Unknown
 2
 1

 Repeat cesarean
 33
 10
 0
 0
 Delivery Type Births Percent Elementary or less 1 <.5 Some high school 43 13 High school 135 Some college 94 39 2.7 College graduate 68 20 Unknown 1 <.5 Unknown Other or unknown 0 0 Number of Prenatal Smoking Status Care visits Births Percent of Mother Births Percent
 Birth Weight
 Births
 Percent
 No visits
 0
 0
 Smoker

 <1,500 gm</td>
 4
 1.2
 1-4 visits
 8
 2
 Nonsmoker

 1,500-2,499 gm
 10
 2.9
 5-9 visits
 51
 15
 Unknown

 2,500+ gm
 328
 95.9
 10-12 visits
 149
 44

 Unknown
 0
 0.0
 13+ visits
 134
 39

 Unknown
 0
 0
 0
 268 78 0 Low Birth Weight Trimester of First Prenatal Visit (under 2,500 gm)1st Trimester2nd TrimesterOther/UnknownBirths PercentBirths PercentBirths PercentBirths Percent Total Births Race of Mother Births Percent 14 4.2 287 86 41 12 7 White 335 98 1 <.5 * Black 6 2 0 6 100 Other Unknown Low Birth Weight Trimester of First Prenatal Visit Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown Births Rate Births Percent Births Percent Births Percent Births Percent Age of Mother 0 --<15 4 17 1 12 13 2 9 9 9 2 9 12 2 15-17 1 11 18-19 89 103 20-24 96 128 25-29 78 93 30-34 35-39 40 35 40+ 3 50 Unknown 0 Teenage Births 33 30 * - Not reported. Age or race category has less than 5 births

Bicyclist Pedestrian

| REPORTED* CASES OF SELECTED DISEASES | Note: Death rates (neonatal, and Perinatal and | except in postneon fetal de | natal death eath rates | per 100,000 population. rates are per 1,000 li are per 1,000 live birth culated for fewer than 2 | ve births s plus | | |
|---|---|---|---------------------------|--|---------------------|---------|--|
| Disease Number | TOTAL DEATHS | | 324 | Selected | | | |
| Campylobacter Enteritis 6 | Crude Death Ra | te | 1,116 | Underlying Cause | Deaths | Rate | |
| Giardiasis 5 | | | | Heart Disease (total) | 97 | 334 | |
| Hepatitis Type A 0 | | | | Ischemic heart diseas | e . | | |
| Hepatitis Type B** 0 | Age | Deaths | Rate | Cancer (total) | 73 | 251 | |
| Hepatitis NANB/C*** | 1-4 | 1 | • | Trachea/Bronchus/Lung | | • | |
| Legionnaire's 0 | 5-14 | 2 | | Colorectal | 4 | • | |
| Lyme <5 | 15-19 | 1 | | Female Breast | 5 | . * | |
| Measles 0 | 20-34 | 9 | | Cerebrovascular Diseas | e 31 | 107 | |
| Meningitis, Aseptic <5 | 35-54 | 20 | 239 | Lower Resp. Disease | • | | |
| Meningitis, Bacterial 0 | 55-64 | 21 | | Pneumonia & Influenza | | • | |
| Mumps 0 | 65-74 | 66 | | Injuries | 9 | | |
| Pertussis 0 | 75-84 | 83 | - / | Motor vehicle | | • | |
| Salmonellosis <5 | 85+ | 118 | 18,582 | Diabetes | 14 | • | |
| Shigellosis 0 | | | | Infectious & Parasitic | | | |
| Tuberculosis <5 | | | | Suicide | 8 | • | |
| | Infant | | | | | | |
| * 1999 provisional data | Mortality | MortalityDeathsRate* Rate for female breast of the constraint of the constrai | | | | based | |
| ** Includes all positive HBsAg | Total Infant | 3 | • | on female population. | | | |
| test results | Neonatal | 1 | | | | | |
| *** Unavailable at time of printing | Postneonatal | 2 | • | ALCOHOL AND DRUG ABUSE AS UNDERLYING | | | |
| | Unknown | • | • | OR CONTRIBUTING CAU | SE OF DEA | TH | |
| Sexually Transmitted Disease | | | | | | | |
| Chlamydia Trachomatis 22 | Race of Mother | | | Alcohol | 3 | • | |
| Genital Herpes 8 | White | 3 | • | Other Drugs | 4 | • | |
| Gonorrhea <5 | Black | • | • | Both Mentioned | | • | |
| Nongonococcal Cervicitis . | Other | • | • | | | | |
| Nongonococcal Urethritis 0 | Unknown | • | • | MOTOR VEHICL | E CRASHES | | |
| Syphilis 0 | ļ | | | ļ | _ | | |
| | Birth Weight | | | Note: These data are | | | |
| IMMUNIZATIONS | <1,500 gm | 1 | • | of crash, not o | n residen | ce. | |
| | 1,500-2,499 gm | | • | ļ | _ | _ | |
| Children in Grades K-12 by | 2,500+ gm | 2 | • | Type of Motor | Persons | Persons | |
| Compliance Level | Unknown | • | • | Vehicle Crash | | | |
| Compliant 5,857 | | | | Total Crashes | 370 | 5 | |
| Non-compliant 42 Percent Compliant 99.3 | Daminst 3 | | | Alcohol-Related | 50 | 3 | |
| Percent Compliant 99.3 | Perinatal | D · · | D - • | With Citation: | 20 | • | |
| | Mortality | Deaths | Rate | For OWI | 32 | 0 | |
| | Total Perinatal | 2 1 | • | For Speeding Motorcyclist | 22 22 | 0 | |
| | Neonatal | 1 | • | Motorcyclist | 22 | U | |

Fetal

----- HOSPITALIZATIONS ------

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|------------------------|------------|---------------------|---------------------------|----------------------|-------------------------|---|-------------|---------------------|---------------------------|--------------------|-------------------------|
| Injury-Related | l. All | | | | | Alcohol-Relate | -d | | | | |
| Total | 303 | 10.4 | 4.7 | \$11,457 | \$120 | Total | 126 | 4.3 | 4.4 | \$2,900 | \$13 |
| <18 | 27 | 3.9 | 4.1 | \$9,821 | \$38 | 18-44 | 88 | 8.2 | 4.4 | \$2,837 | \$23 |
| 18-44 | 78 | 7.3 | 4.9 | \$14,456 | \$105 | 45-64 | 25 | 3.8 | 4.9 | \$3,097 | \$12 |
| 45-64 | 47 | 7.1 | | \$11,406 | \$80 | Pneumonia and | | 3.0 | 1.5 | φ3,031 | YIZ |
| 65+ | 151 | 32.4 | 4.4 | \$10,216 | \$331 | Total | 176 | 6.1 | 4.5 | \$6,358 | \$39 |
| Injury: Hip | | 52.1 | 1.1 | ΫΙΟ, ΖΙΟ | ŲJJI | <18 | 12 | • | 1.5 | φ0,550 | ŲΟ |
| Total | 40 | 1.4 | 5.2 | \$12,158 | \$17 | 45-64 | 24 | 3.6 | 3.8 | \$5,237 | : \$19 |
| 65+ | 36 | 7.7 | 4.6 | \$10,724 | \$83 | 65+ | 122 | 26.2 | 5.0 | \$5,257 | \$0 |
| Injury: Pois | | 7 . 7 | 4.0 | \$10,72 4 | 202 | Cerebrovascula | | 20.2 | 3.0 | ŞJ | ŞŪ |
| Total | 20 | 0.7 | 1.9 | \$2,967 | \$2 | Total | 98 | 3.4 | 3.9 | \$8,634 | \$29 |
| 18-44 | 8 | | | • • | • | 10car 1 45-64 | 16 | | 3.9 | ρ0,03 1 | 949 |
| 10-44 | 0 | • | • | • | • | 65+ | 80 | 17.2 | 3.9 | \$8,215 | \$141 |
| Darrah i a tori a | | | | | | Chronic Obstru | | | | \$6,ZIS | \$141 |
| Psychiatric | 1.4.6 | F 0 | 7 2 | 44 000 | do-r | 1 | | - | | åE | å O 1 |
| Total | 146 | 5.0 | 7.3 | \$4,900 | \$25 | Total | 111 | 3.8 | 3.8 | \$5,572 | \$21 |
| <18 | 33 | 4.7 | 11.0 | \$6,525 | \$31 | <18 | 4 | • | • | • | • |
| 18-44 | 75 | 7.0 | 6.2 | \$3,947 | \$28 | 18-44 | 11 | | • | | |
| 45-64 | 22 | 3.3 | 4.2 | \$3,379 | \$11 | 45-64 | 29 | 4.4 | 3.9 | \$6,662 | \$29 |
| 65+ | 16 | • | • | • | • | 65+ | 67 | 14.4 | 4.1 | \$5,784 | \$83 |
| | _ | | | | | Drug-Related | | | | | |
| Coronary Heart | | | | | | Total | 15 | • | • | • | • |
| Total | 268 | 9.2 | 3.5 | \$17,250 | \$159 |] 18-44 | 11 | • | • | • | • |
| 45-64 | 85 | 12.8 | | \$18,055 | \$230 | | | | | | |
| 65+ | 168 | 36.1 | 3.7 | \$16,404 | \$592 | Total Hospital | | | | | |
| | | | | | | Total | 3,944 | | 3.8 | \$7,359 | |
| Malignant Neop | lasms (Ca | | | | | <18 | 573 | 81.9 | 3.3 | \$3,950 | \$324 |
| Total | 159 | 5.5 | 5.0 | \$11,594 | \$63 | 18-44 | 957 | 89.2 | 3.3 | \$5,575 | \$498 |
| 18-44 | 13 | | | | | 45-64 | 766 | 115.0 | 3.8 | \$9,128 | \$1,050 |
| 45-64 | 52 | 7.8 | 4.5 | \$11,936 | \$93 | 65+ | 1,648 | 354.0 | 4.3 | \$8,759 | \$3,100 |
| 65+ | 94 | 20.2 | 5.0 | \$11,280 | \$228 | ĺ | | | | | |
| Neoplasms: F | 'emale Bre | ast (ra | ates for | female po | pulation) | ` I | PREVENTABLE | HOSPI | CALIZATIO | NS* | |
| Total | 16 | | • | • | • | Total | 592 | 20.4 | 3.9 | \$5,529 | \$113 |
| Neoplasms: C | olo-recta | 1 | | | | <18 | 46 | 6.6 | 2.8 | \$2,818 | \$19 |
| Total | 15 | | | | | 18-44 | 59 | 5.5 | 3.3 | \$4,429 | \$24 |
| 65+ | 12 | | | | | 45-64 | 117 | 17.6 | 3.8 | \$5,773 | \$101 |
| Neoplasms: I | ung | | | | | 65+ | 370 | 79.5 | 4.2 | \$5,964 | \$474 |
| Total | 19 | | • | • | | * Hospitalization | s for cond | itions | where ti | mely and | effectiv |
| | | | | | | ambulatory care of | | | | | |
| Diabetes | | | | | | The definition of | | | | cions in | 1999 |
| Total | 34 | 1.2 | 5.1 | \$9,388 | \$11 | is consistent with the 1997 definition. | | | | | |
| 65+ | 13 | • | • | • | • | Please refer to t | | | | | |
| | | | | | | 1997 report for 1996 and 1997. | an explana | tion of | the cha | nge made | between |